

ADDRESS PRINTING

Desktop Addressing Systems



FP AJ-5000




FP AJ-300/500



FP AJ-1000



FP AJ-2650/2800



FP M-1

THE PERFECT ADDRESSING SYSTEM FOR YOUR BUSINESS NEEDS.

Choose from a full line of comprehensive, efficient, and effective address printing solutions designed to fit conveniently on any tabletop. Print addresses, attention lines, postal barcodes, return addresses, and permit indicia. This complete selection provides the flexibility you need to cost-effectively boost productivity, enhance image quality and meet all USPS® requirements.

Our systems are fully capable of printing Intelligent Mail Barcodes (IMB), which allows for lower postal rates, faster delivery, and much more. With lightening speed, impressive versatility, intelligent design, and ease of use, there's a high-speed printer ready to handle your address printing needs.



MAILING SOLUTIONS
AN FP GROUP COMPANY

FP AJ-5000

KEY ADVANTAGES

The **FP AJ-5000** is an entry-level inkjet address printer with the ability to print in brilliant, full-process color. Its shuttle-head design gives it a print area of 8.5" wide by 14.0" high, allowing printing of entire/complete postcards, envelopes, flats, and documents all in a single pass. The **FP AJ-5000** is capable of printing IMB, including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

SPECIAL FEATURES

- Shuttle-head printer allows printing on entire document
- Integrated feeder
- Parallel and high speed USB 2.0 port



SPECIFICATIONS

Speed	Up to 4,300 pcs./hr.
Print Quality	From 300 to 1200 dpi
Print Area	8.5" W x 14.0" H
Material Size	Length (5.0" to 14.0") Width (3.0" to 12.0")
Material Thickness	Up to 1/16"
Dimensions	19.50" W x 22.00" L x 17.25" H
Weight	40 lbs.
Print Technology	HP56/HP57 Inkjet

FP AJ-300 and FP AJ-500

KEY ADVANTAGES

The **FP AJ-300** and **FP AJ-500** are fixed-head, entry-level inkjet address printers. They offer 1.5" of print area and a durable feeding/transport design. The **FP AJ-500** system has a variable head and extended hopper that can hold up to 500 #10 envelopes at a time. It also can take materials up to a class-leading 3/16" thick. It is capable of printing IMB, including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

SPECIAL FEATURES

- 1.5" of print from one print module
- Clutch-control integrated feeder
- Parallel and high-speed USB 2.0 port



SPECIFICATIONS

Speed	Up to 11,000 pcs./hr. (FP AJ-300) Up to 30,000 pcs./hr. (FP AJ-500)
Print Quality	From 150 to 600 dpi
Print Area	1.5" x 14.0" w/ 9.5" Vertical Range
Material Size	Length (5.0" to 14.0") Width (3.0" to 14.0")
Material Thickness	Up to 1/8" (FP AJ-300) Up to 3/16" (FP AJ-500)
Dimensions	19.0"H x 21.0"L x 20.5"W
Weight	53 lbs.
Print Technology	HP45A Inkjet

FP AJ-1000

KEY ADVANTAGES

The versatile **FP AJ-1000** has a feed system that has three rows of high grip rollers and the capacity for materials up to 1/4" thick. A key feature is the split 3+2 printhead configuration that allows mailers to print the recipient address, return address, and permit indicia all in a single pass. It is capable of printing IMB, including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

SPECIAL FEATURES

- 2.5" of print from two print modules
- Clutch-control integrated feeder
- Electronic thickness control (1/4")
- Parallel and high-speed USB 2.0 Port



SPECIFICATIONS

Speed	Up to 30,000 pcs./hr.
Print Quality	From 150 to 600 dpi
Print Area	2.5" x 15.0" w/ 9.0" Vertical Range
Material Size	Length (5.0" to 15.0") Width (3.0" to 13.5")
Material Thickness	Up to 1/4"
Dimensions	11.50"H x 19.56"L x 20.00"W
Weight	69 lbs.
Print Technology	HP45A Inkjet

FP AJ-2650 and FP AJ-2800

KEY ADVANTAGES

Print graphics, logos, and barcodes at up to 600 dpi with the **FP AJ-2650** a six-head printer, and **FP AJ-2800**, an eight-head printer. A key feature is the split multiple printhead configuration that allows mailers to print the recipient address, return address, and permit indicia all in a single pass. Built-in cartridge station keeps your mailroom tidy and extends the life of print cartridges, helping save on expenses and environmental impact. Unique top-load feed mechanism quickly processes up to 750, No. 10 envelopes at up to 3/8" thickness. Visible ink level display helps ensure mailroom productivity.

SPECIAL FEATURES

- Up to 4" of stitched printing in one pass
- Built-in cartridge station
- Parallel and high speed USB 2.0 port
- Optional Conveyor/Stacker and Drop Tray



SPECIFICATIONS

Speed	Up to 36,000 pcs./hr.
Print Quality	From 150 to 600 dpi
Print Area	3.0" x 17.0" w/ 11.0" Vertical Range (FP AJ-2650) 4.0" x 17.0" w/ 11.0" Vertical Range (FP AJ-2800)
Material Size	Length (5.0" to 17.0") Width (3.0" to 13.5")
Material Thickness	Up to 3/8"
Dimensions	23" H x 28" L x 22" W
Weight	90 lbs.
Print Technology	HP45A Inkjet

FP M-1

KEY ADVANTAGES

The FP M-1 has a single, fixed printhead that has over 70,000 nozzles producing sharp graphics at 1600 dpi and print speeds up to 12 inches per second. The FP M-1 not only increases productivity with speeds up to 9,000 pcs./hr., but is built to last with its solid engineered metal construction.

SPECIAL FEATURES

- Print quality up to 1600 DPI
- 5 Individual 250ml Ink Reservoirs
- Parallel and high-speed USB 2.0 port
- Ability to install on a network



SPECIFICATIONS

Speed	Up to 9,000 envelopes/hr. Up to 3,600 letter pages/hr.
Print Quality	From 800 to 1600 dpi
Print Area	8.5" x 17" w/ full bleed capability
Material Size	Length (4.2" to 17.0") Width (3.0" to 9.5")
Material Thickness	Up to 1/48" (0.5mm)
Dimensions	18.0"H x 20.0"L x 24.0"W
Weight	75 lbs.
Print Technology	Memjet® Thermal Inkjet
Feeder	Fully Integrated

Call your FP representative today to order your [FP Address Printing System](#), and ask about our family of mailing systems and solutions.

When you have questions, we have solutions. Our commitment to fast, attentive customer service is just one of the reasons why we're the fastest-growing USPS®-approved mailing systems vendor in the U.S.

